

Drivol Nulife Diesel Engine oil SAE 20W-40 API CI-4

Product Description:

Drivol Nulife SAE 20W-40 API CI-4 stands out as a heavy-duty multigrade diesel engine oil, meticulously crafted with a blend of mineral base oil and balanced array of additives. Its formulation is engineered to deliver superior detergency, dispersancy and anti-oxidation properties, effectively combating oil degradation, thickening and corrosion. Notably, this oil maintains exceptional shear stability, retaining its viscosity even under demanding high shear, high temperature conditions.

Key Features:

- Exceptional wear protection: Provides unparalleled safeguarding against wear and tear.
- Superior high temperature oxidation stability: Offers advanced protection for the engine oil, particularly under high-temperature conditions.
- Advanced additive system: Enhances engine cleanliness and ensures consistent, high-level performance.
- Excellent shear stability: Maintains viscosity control, even amidst high temperatures and shear conditions.

Applications:

- Ideal for heavy-duty, light duty commercial vehicles and multi-utility vehicles equipped with high-speed naturally aspirated or turbocharged diesel engines.
- Particularly suitable for engines operating in low-speed, high-torque conditions commonly found in prolonged city stop-andgo driving scenarios.

International Standards	Most The Pequirements		
International Standards	Meet The Requirements		
API CI-4	MB 228.3/229.1	Volvo VDS-3	
ACEA E7	Renault RLD-2	Cummins 20076/77/78	
ACEA A3/B4	Mack EO-N/EO-M+	CAT ECF-1/ ECF-2	
	MAN M 3275	MTU Type 2	
	Deutz DQC-III-10	Detroit Diesel DDC 93K215	
	Global DHD-1		

Specification / Recommendations

Technical Data:

S.NO.	Characteristics	Test Method	Test Results
1	Appearance	Visual	Bright & Clear
2	Density @ 15°C (g/ml)	ASTM D1298	0.885
3	Kinematic Viscosity @ 40°C (cSt)	ASTM D445	117
4	Kinematic Viscosity @ 100°C (cSt)	ASTM D445	14.1
5	Viscosity Index	ASTM D2270	120
6	Flash Point COC (°C)	ASTM D92	236
7	Pour Point (°C)	ASTM D97	-21

Manufacturing

Manufactured in ISO 9001: 2015 and ISO 14001:2015 certified plant.

Disposal

Environment protection to be ascertained by proper disposal of Used oil and empty container as per local country guidelines.



