

# Drivol Egon

## Passenger Car Engine Oil

### SAE 10W-30 API SM

**Product Description:**

**Drivol Egon SAE 10W-30 API SM** represents an innovative full synthetic engine oil engineered to maintain engines in pristine condition, offering outstanding cleansing abilities, wear resistance and overall efficiency. Composed entirely of synthetic oils with consistent molecules, it ensures optimal and enduring engine safeguarding and performance. Tailored for both extreme hot and cold operating environments, including stop-and-go driving, frequent short journeys, heavy loads, and dusty conditions.

**Key Features:**

- Enhanced frictional properties for improved fuel efficiency.
- Responsive to heat, forming a crucial friction-reducing barrier to safeguard metal surfaces.
- Advanced molecules form bonds to prevent metal-to-metal contact among rotating engine components.
- Designed to thrive even in the most extreme conditions.

**Applications:**

- Ideal for use in gasoline-fueled passenger cars, light trucks, and sport utility vehicles, particularly when subjected to rigorous operating conditions.

**Specification / Recommendations:**

International Standards & Meet the Requirements	
API SM	

**Technical Data:**

S.NO.	Characteristics	Test Method	Test Results
1	Appearance	Visual	Bright & Clear
2	Density @ 15°C (g/ml)	ASTM D1298	0.862
3	Kinematic Viscosity @ 40°C (cSt)	ASTM D445	61.5
4	Kinematic Viscosity @ 100°C (cSt)	ASTM D445	10.2
5	Viscosity Index	ASTM D2270	154
6	Flash Point COC (°C)	ASTM D92	224
7	Pour Point (°C)	ASTM D97	-36

**Manufacturing:**

Manufactured in ISO 9001: 2015 and ISO 14001:2015 certified plant.

**Disposal:**

Environment protection to be ascertained by proper disposal of Used oil and empty container as per local country guidelines.

