

# Drivol Egon Ultra Passenger Car Engine oil SAE 0W-20 API SP

### Product Description:

**Drivol Egon Ultra SAE 0W-20 API SP** is an advanced fully synthetic engine oil designed to deliver unparalleled long-term protection against daily driving challenges. Utilizing cutting-edge synthetic technology, it forms a robust thin oil film across all engine components, ensuring unbeatable engine safeguarding, even under extreme temperatures.

### Key Features:

- Minimized environmental impact.
- Significant fuel economy benefits.
- Guards against wear and deposits from the moment the engine starts.
- Low-viscosity grade and specialized additives facilitate easier cold starts, even in extremely low temperatures.
- Its low phosphorus content optimizes the operation of catalytic converters, reducing NOx, HC, and CO emissions.
- Friction Reduction: Minimizes internal friction to maximize engine power output and fuel efficiency simultaneously.

### Applications:

- Exceeds the stringent requirements of latest API SP sequences, making it ideal for modern gasoline engines.
- Suitable for use in advanced downsized engines with start-stop technology and hybrid engines requiring synthetic oils

### Specification / Recommendations:

International Standards	Meet The Requirements	
API SP	Opel- Vauxhall OV 040 1547-A20	Jaguar Land Rover JLR 03.5006
ACEA C5-21	MB 229.71	FORD 952-A1
ACEA C6-21	DEXOS D	

### Technical Data:

S.No.	Characteristics	Test Method	Test Results
1	Appearance	Visual	Bright & Clear
2	Density @ 15°C (g/ml)	ASTM D1298	0.842
3	Kinematic Viscosity @ 40°C (cSt)	ASTM D445	44.6
4	Kinematic Viscosity @ 100°C (cSt)	ASTM D445	8.5
5	Viscosity Index	ASTM D2270	172
6	Flash Point COC (°C)	ASTM D92	240
7	Pour Point (°C)	ASTM D97	-42

### Manufacturing:

Manufactured in ISO 9001: 2015 and ISO 14001:2015 certified plant.

### Disposal:

Environment protection to be ascertained by proper disposal of Used oil and empty container as per local country guidelines.

